

No:	Manufacturer:	Name of Product:	Description:	Typ:	Date:	Comments:
00001	PHOENIX CONTACT GmbH & Co. KG	Balanced cables type A	PROFINET cable type A, CAT5e-SF/UTP cable, 1 x 4 x 22 AWG, solid, shielded, outer sheath: PVC, outer diameter 6.5 mm, RAL 6018 (yellow-green)	VS-PN-CABLE-932-A/100	29.02.2008	Typ Nr. für 100m
00002	PHOENIX CONTACT GmbH & Co. KG	Balanced cables type B	PROFINET cable type B, CAT5e-SF/UTP cable, 1 x 4 x 22 AWG, flexible, shielded, outer sheath: PVC, outer diameter 6.5 mm, RAL 6018 (yellow-green)	VS-PN-CABLE-933-B/100	29.02.2008	Typ Nr. für 100m
00003	PHOENIX CONTACT GmbH & Co. KG	Balanced cables type C	PROFINET cable type C, CAT5e-SF/UTP cable, 1 x 4 x 22 AWG, high flexible, shielded, outer sheath: PUR, outer diameter 6.7 mm, RAL 6018 (yellow-green)	VS-PN-CABLE-934-C/100	29.02.2008	Typ Nr. für 100m
00004	PHOENIX CONTACT GmbH & Co. KG	Optical fibre cable type B	PROFINET fiber optics line, polymer fibre, type B, outer sheath PUR in RAL 6018 (yellow-green)	VS-PN-CABLE-1000-B/PUR-A4D/100	29.02.2008	Typ Nr. für 100m
00005	PHOENIX CONTACT GmbH & Co. KG	Optical fibre cable type B	PROFINET fiber optics line, HCS, type B, outer sheath PUR in RAL 6018 (yellow-green)	VS-PN-CABLE-1001-B/PUR-A3C/100	29.02.2008	Typ Nr. für 100m
00006	PHOENIX CONTACT GmbH & Co. KG	Optical fibre cable type C	PROFINET fiber optics line, polymer fibre, type C, outer sheath PUR in RAL 6018 (yellow-green), suitable for a drag chain	VS-PN-CABLE-1003-C/PUR-A4D/100	29.02.2008	Typ Nr. für 100m
00007	PHOENIX CONTACT GmbH & Co. KG	Optical fibre cable type C	PROFINET fiber optics line, HCS, type C, outer sheath PUR in RAL 6018 (yellow-green), suitable for a drag chain	VS-PN-CABLE-1004-C/PUR-A3C/100	29.02.2008	Typ Nr. für 100m
00008	PHOENIX CONTACT GmbH & Co. KG	Connectors for Inside Environment (Balanced Cabling)	RJ45 connector, 4-pos., with Quickon fast connection technology, for AWG 26 ... 22, for cable diameter 4.5 mm ... 8.0 mm, color: Gray	VS-PN-RJ45-5-Q/IP20	29.02.2008	
00009	PHOENIX CONTACT GmbH & Co. KG	Connectors for Inside Environment (Balanced Cabling)	RJ45 female insert, 8-pos., shielded, socket on socket CAT5e	VS-08-BU-RJ45/BU	29.02.2008	
00010	PHOENIX CONTACT GmbH & Co. KG	Connectors for Inside Environment (Balanced Cabling)	RJ45 female insert, 8-pos., shielded, with cable connection CAT5e CAT6	VS-08-BU-RJ45/KA/LSA VS-08-BU-RJ45-6/KA/LSA	29.02.2008	
00011	PHOENIX CONTACT GmbH & Co. KG	Connectors for Inside Environment (Balanced Cabling)	RJ45 panel mounting frame, single, for modular female inserts (Keystone), without mounting screws	VS-08-A-RJ45/MOD-1-IP20	29.02.2008	
00012	PHOENIX CONTACT GmbH & Co. KG	Connectors for Inside Environment (Balanced Cabling)	RJ45 female insert, 1-way, for PCB installation, 8-pos., shielded, straight solder pins, CAT6	VS-08-BU-RJ45-6/LV-1	29.02.2008	
00013	PHOENIX CONTACT GmbH & Co. KG	Connectors for Inside Environment (Balanced Cabling)	Patch panel, RJ45, with IDC connection, DIN rail mounting, IP20, CAT5e, shielding selectable via jumper	VS-PP-PN-R-1XRJ45/5-IDC03 VS-PP-PN-R-3XRJ45/5-IDC03 VS-PP-PN-R-8XRJ45/5-IDC03	29.02.2008	
00014	PHOENIX CONTACT GmbH & Co. KG	Connectors for Inside Environment (Balanced Cabling)	Patch panel, RJ45, with LSA connection, DIN rail mounting, IP20, CAT5e, shielding selectable via jumper	VS-PP-PN-R-1XRJ45/5-LSA VS-PP-PN-R-3XRJ45/5-LSA VS-PP-PN-R-8XRJ45/5-LSA	29.02.2008	
00015	PHOENIX CONTACT GmbH & Co. KG	Connectors for Inside Environment (Balanced Cabling)	Patch panel, RJ45, with screw connection, DIN rail mounting, IP20, CAT5e, shielding selectable via jumper	VS-PP-PN-R-1XRJ45/5-SC VS-PP-PN-R-3XRJ45/5-SC VS-PP-PN-R-8XRJ45/5-SC	29.02.2008	
00016	PHOENIX CONTACT GmbH & Co. KG	Connectors for Inside Environment (Balanced Cabling)	RJ45 patch panel, with IDC fast connection DIN rail mounting, IP20, CAT6	VS-PP-F-RJ45-CAT6	29.02.2008	
00017	PHOENIX CONTACT GmbH & Co. KG	Connectors for Outside Environment Push Pull (Balanced Cabling)	Connector RJ45, IP67, with Push-Pull locking, CAT5e, 4-pos., with QUICKON fast connection technology	VS-PPC-C1-RJ45-MNNA-PG9-4Q5 VS-PPC-C1-RJ45-POBK-PG9-4Q5	29.02.2008	
00018	PHOENIX CONTACT GmbH & Co. KG	Connectors for Outside Environment Push Pull (Balanced Cabling)	RJ45 female insert, 1-way, for PCB installation, 8-pos., shielded, CAT6	VS-08-BU-RJ45-6/LV-1 VS-08-BU-RJ45-6/LH-1	29.02.2008	
00019	PHOENIX CONTACT GmbH & Co. KG	Connectors for Outside Environment Push Pull (Balanced Cabling)	RJ45 female insert, 8-pos., shielded, with cable connection	VS-08-BU-RJ45-5-F/PK VS-08-BU-RJ45-6-F/PK	29.02.2008	
00020	PHOENIX CONTACT GmbH & Co. KG	Connectors for Outside Environment Push Pull (Balanced Cabling)	RJ45 female insert, 8-pos., shielded, socket on	VS-08-BU-RJ45-5-F/BU	29.02.2008	

00021	PHOENIX CONTACT GmbH & Co. KG	Connectors for Outside Environment Push Pull (Balanced Cabling)	RJ45 panel mounting frame, IP67, with PCB connection, for Push-Pull locking, for rectangular assembly opening, with gasket, without mounting screws	VS-PPC-F1-RJ45-MNNA-1R-PHA VS-PPC-F1-RJ45-POBK-1R-PHA	29.02.2008
00022	PHOENIX CONTACT GmbH & Co. KG	Connectors for Outside Environment Push Pull (Balanced Cabling)	RJ45 panel mounting frame, IP67, with Freenet system, for Push-Pull locking, for rectangular assembly opening, with gasket, without mounting screws	VS-PPC-F1-RJ45-POBK-1R-F	29.02.2008
00023	PHOENIX CONTACT GmbH & Co. KG	Connectors for Outside Environment Push Pull (Balanced Cabling)	Protective cover, IP67, with a push-pull interlock to cover the contact insert in the push-pull panel mounting frame RJ45 and SCRJ	VS-PPC-C1-PC67-MNNA VS-PPC-C1-PC67-POBK	29.02.2008
00024	PHOENIX CONTACT GmbH & Co. KG	Connectors for Outside Environment M12 (Balanced Cabling)	M12 plug connectors, shielded, D-coded, QUICKON connection method, Screw connection	SACC-M12MSD-4QO SH PN SACC-M12MSD-4CON-PG 7-SH SACC-M12MSD-4CON-PG 9-SH	29.02.2008
00025	PHOENIX CONTACT GmbH & Co. KG	Connectors for Outside Environment M12 (Balanced Cabling)	M12 sockets with 0.5 m halogen-free single cores, SPEEDCON, M12 socket, front mounting, M12 socket, front mounting, can be positioned, M12 socket, rear mounting	SACC-E-FSD-4CON-M16/0,5 SCO SACC-EC-FSD-4CON-M16/0,5 SCO SACC-DSI-FSD-4CON-PG9/0,5 SCO	29.02.2008
00026	PHOENIX CONTACT GmbH & Co. KG	Connectors for Outside Environment M12 (Balanced Cabling)	M12 socket, PCB assembly, single part plug connector, SPEEDCON, fastening thread Pg9, shielding contact, SPEEDCON, fastening thread Pg9, without shielding contact, EMC nut, Pg9	SACC-DSI-FSD-4CON-L180/SCO SH SACC-DSI-FSD-4CON-L180 SCO SACC-PG9-NUT SH	29.02.2008
00027	PHOENIX CONTACT GmbH & Co. KG	Connectors for Outside Environment M12 (Balanced Cabling)	M12 socket, PCB assembly, two part plug connector, SPEEDCON, fastening thread M12, 180° connection, THR, SPEEDCON, fastening thread M12, 180° connection, wave soldering, Fastening thread M12, 90° connection, wave soldering	SACC-DSIV-FSD-4CON-L180 SCOTHR SACC-DSIV-FSD-4CON-L180 SCO SACC-DSIV-M12FSD-4CON-L90	29.02.2008
00028	PHOENIX CONTACT GmbH & Co. KG	Connectors for Inside Environment (optical fibre)	FO connector SCRJ, IP20, polymer fibre, duplex, with fast connection	VS-SCRJ-POF-FA-IP20	29.02.2008
00029	PHOENIX CONTACT GmbH & Co. KG	Connectors for Inside Environment (optical fibre)	FO connector SCRJ, IP20, PCF-fibre, duplex, with fast connection	VS-SCRJ-HCS-FA-IP20-PN	29.02.2008
00030	PHOENIX CONTACT GmbH & Co. KG	Connectors for Outside Environment (optical fibre)	FO connector SCRJ, IP67, polymer fibre, with Push-Pull locking, duplex, with fast connection technology	VS-PPC-C1-SCRJ-MNNA-PG9-A4D-C VS-PPC-C1-SCRJ-POBK-PG9-A4D-C	29.02.2008
00031	PHOENIX CONTACT GmbH & Co. KG	Connectors for Outside Environment (optical fibre)	FO connector SCRJ, IP67, PCF-fibre, with Push-Pull locking, duplex, with fast connection technology	VS-PPC-C1-SCRJ-MNNA-PG9-A3C-C VS-PPC-C1-SCRJ-POBK-PG9-A3C-C	29.02.2008
00032	PHOENIX CONTACT GmbH & Co. KG	Connectors for Outside Environment (optical fibre)	SCRJ panel mounting frame, IP67, for push-pull interlock, for square mounting cutout, for transceiver on PCB, with grommet, without mounting screws	VS-PPC-F1-SCRJ-MNNA-1RP VS-PPC-F1-SCRJ-POBK-1RP	29.02.2008
00033	PHOENIX CONTACT GmbH & Co. KG	Connectors for Outside Environment (optical fibre)	Protective cover, IP67, push-pull interlock to cover the contact insert in the push-pull panel mounting frame RJ45 and SCRJ	VS-PPC-C1-PC67-MNNA VS-PPC-C1-PC67-POBK	29.02.2008
00034	PHOENIX CONTACT GmbH & Co. KG	Cord Sets for Balanced Type A/B Cabling	RJ45 / M12 – assembled conductors M12 plug / free end, cable type: B	SAC-4P-M12MSD/ 2,0-933 SAC-4P-M12MSD/ 5,0-933 SAC-4P-M12MSD/10,0-933 SAC-4P-M12MSD/15,0-933	29.02.2008
00035	PHOENIX CONTACT GmbH & Co. KG	Cord Sets for Balanced Type A/B Cabling	RJ45 / M12 – assembled conductors M12 plug / M12 plug, cable type: B	SAC-4P-M12MSD/ 0,3-933/M12MSD SAC-4135P-M12MSD/ 0,5-933/M12MSD SAC-4P-M12MSD/ 1,0-933/M12MSD SAC-4P-M12MSD/ 2,0-933/M12MSD SAC-4P-M12MSD/ 5,0-933/M12MSD SAC-4P-M12MSD/10,0-933/M12MSD SAC-4P-M12MSD/15,0-933/M12MSD	29.02.2008
00036	PHOENIX CONTACT GmbH & Co. KG	Cord Sets for Balanced Type A/B Cabling	RJ45 / M12 – assembled conductors M12 plug / RJ45 plug, cable type: B	VS-M12MSD-RJ45-933-B/ 0,5 VS-M12MSD-RJ45-933-B/ 1,0 VS-M12MSD-RJ45-933-B/ 2,0 VS-M12MSD-RJ45-933-B/ 5,0	29.02.2008
00037	PHOENIX CONTACT GmbH & Co. KG	Cord Sets for Balanced Type A/B Cabling	RJ45 / M12 – assembled conductors Flush-type connector M12, rear mounting / free end, cable type: B	SACCBP-M12FSD-4CON-M16/0,5-933 SACCBP-M12FSD-4CON-M16/1,0-933 SACCBP-M12FSD-4CON-M16/2,0-933 SACCBP-M12FSD-4CON-M16/5,0-933	29.02.2008
00038	PHOENIX CONTACT GmbH & Co. KG	Cord Sets for Balanced Type A/B Cabling	RJ45 / M12 – assembled conductors Flush-type connector M12, rear mounting / RJ45 plug, cable type: B	VS-DSIV-M12FSD-RJ45-933-B/ 0,5 VS-DSIV-M12FSD-RJ45-933-B/ 1,0 VS-DSIV-M12FSD-RJ45-933-B/ 2,0 VS-DSIV-M12FSD-RJ45-933-B/ 5,0	29.02.2008

00039	PHOENIX CONTACT GmbH & Co. KG	Cord Sets for Balanced Type A/B Cabling	RJ45 / M12 – assembled conductors RJ45 plug / RJ45 plug, cable type: B	VS-RJ45-RJ45-933-B/ 0,5 VS-RJ45-RJ45-933-B/ 1,0 VS-RJ45-RJ45-933-B/ 2,0 VS-RJ45-RJ45-933-B/ 5,0 VS-RJ45-RJ45-933-B/...	29.02.2008
00040	PHOENIX CONTACT GmbH & Co. KG	Cord Sets for Balanced Type A/B Cabling	RJ45 / M12 – assembled conductors, IP67 M12 plug / RJ45 Push-Pull, cable type: B	VS-P1208-P1210-C933/ 1,0 VS-P1208-P1210-C933/ 2,0 VS-P1208-P1210-C933/ 5,0 VS-P1208-P1210-C933/...	29.02.2008
00041	PHOENIX CONTACT GmbH & Co. KG	Cord Sets for Balanced Type A/B Cabling	RJ45 / M12 – assembled conductors, IP67 M12 plug / RJ45 Push-Pull, metal housing, cable type: B	VS-P1207-P1210-C933/ 1,0 VS-P1207-P1210-C933/ 2,0 VS-P1207-P1210-C933/ 5,0 VS-P1207-P1210-C933/...	29.02.2008
00042	PHOENIX CONTACT GmbH & Co. KG	Cord Sets for Balanced Type A/B Cabling	RJ45 / M12 – assembled conductors, IP67 RJ45 Push-Pull connector, plastic housing / RJ45 Push-Pull, cable type: B	VS-P1208-P1208-C933/ 1,0 VS-P1208-P1208-C933/ 2,0 VS-P1208-P1208-C933/ 5,0 VS-P1208-P1208-C933/...	29.02.2008
00043	PHOENIX CONTACT GmbH & Co. KG	Cord Sets for Balanced Type A/B Cabling	RJ45 / M12 – assembled conductors, IP67 RJ45 Push-Pull connector, metal housing / RJ45 Push-Pull, metal housing, cable type: B	VS-P1207-P1207-C933/ 1,0 VS-P1207-P1207-C933/ 2,0 VS-P1207-P1207-C933/ 5,0 VS-P1207-P1207-C933/...	29.02.2008
00044	PHOENIX CONTACT GmbH & Co. KG	Cord Sets for Balanced Type A/B Cabling	RJ45 / M12 – assembled conductors, IP67 RJ45 plug / RJ45 Push-Pull, cable type: B	VS-P1208-P1209-C933/ 1,0 VS-P1208-P1209-C933/ 2,0 VS-P1208-P1209-C933/ 5,0 VS-P1208-P1209-C933/...	29.02.2008
00045	PHOENIX CONTACT GmbH & Co. KG	Cord Sets for Balanced Type A/B Cabling	RJ45 / M12 – assembled conductors, IP67 RJ45 plug / RJ45 Push-Pull, metal housing, cable type: B	VS-P1207-P1209-C933/ 1,0 VS-P1207-P1209-C933/ 2,0 VS-P1207-P1209-C933/ 5,0 VS-P1207-P1209-C933/...	29.02.2008
00046	PHOENIX CONTACT GmbH & Co. KG	Cord Sets for Balanced Type C Cabling	RJ45 / M12 – assembled conductors, IP67 M12 plug / RJ45 Push-Pull, metal housing, cable type: C	VS-P1207-P1210-C934/ 1,0 VS-P1207-P1210-C934/ 2,0 VS-P1207-P1210-C934/ 5,0 VS-P1207-P1210-C934/...	29.02.2008
00047	PHOENIX CONTACT GmbH & Co. KG	Cord Sets for Balanced Type C Cabling	RJ45 / M12 – assembled conductors, IP67 RJ45 Push-Pull connector, metal housing / RJ45 Push-Pull, metal housing, cable type: C	VS-P1207-P1207-C934/ 1,0 VS-P1207-P1207-C934/ 2,0 VS-P1207-P1207-C934/ 5,0 VS-P1207-P1207-C934/...	29.02.2008
00048	PHOENIX CONTACT GmbH & Co. KG	Cord Sets for Balanced Type C Cabling	RJ45 / M12 – assembled conductors, IP67 RJ45 plug / RJ45 Push-Pull, metal housing, cable type: C	VS-P1207-P1209-C934/ 1,0 VS-P1207-P1209-C934/ 2,0 VS-P1207-P1209-C934/ 5,0 VS-P1207-P1209-C934/...	29.02.2008
00049	PHOENIX CONTACT GmbH & Co. KG	Cord Sets for optical fibre cabling	SCRJ connecting cable IP20, break-out cable, polymer fiber 980/1000 µm, SCRJ/IP20 on FSMA/IP20, for installation inside the control cabinets	VS-PC-2X-POF-980-SCRJ/FSMA-1 VS-PC-2X-POF-980-SCRJ/FSMA-2 VS-PC-2X-POF-980-SCRJ/FSMA-5	29.02.2008
00050	PHOENIX CONTACT GmbH & Co. KG	Cord Sets for optical fibre cabling	Assembled FO cable, break-out cable, polymer fiber 980/1000 µm, SCRJ/IP20 on SCRJ/IP20, for installation inside control cabinets	VS-PC-2XPOF-980-SCRJ/SCRJ-1 VS-PC-2XPOF-980-SCRJ/SCRJ-2 VS-PC-2XPOF-980-SCRJ/SCRJ-5	29.02.2008
00051	PHOENIX CONTACT GmbH & Co. KG	Cord Sets for optical fibre cabling	Assembled PROFINET fiber optics cable, Push-Pull SCRJ/IP67 plastic on SCRJ/IP20, round cable, type B, polymer fiber 980/1000 µm, for installation inside the buildings	VS-P1214-P1217-C1000/ 1,0 VS-P1214-P1217-C1000/ 2,0 VS-P1214-P1217-C1000/ 5,0	29.02.2008
00052	PHOENIX CONTACT GmbH & Co. KG	Cord Sets for optical fibre cabling	Assembled PROFINET fiber optics cable, Push-Pull SCRJ/IP67 plastic on Push-Pull SCRJ/IP67 plastic, round cable, type B, polymer fiber 980/1000 µm, for installation inside the buildings	VS-P1214-P1214-C1000/ 1,0 VS-P1214-P1214-C1000/ 2,0 VS-P1214-P1214-C1000/ 5,0	29.02.2008
00053	PHOENIX CONTACT GmbH & Co. KG	Cord Sets for optical fibre cabling	Assembled PROFINET fiber optics cable, Push-Pull SCRJ/IP67 metal on SCRJ/IP20, round cable, type B, polymer fiber 980/1000 µm, for installation inside the buildings	VS-P1211-P1217-C1000/ 1,0 VS-P1211-P1217-C1000/ 2,0 VS-P1211-P1217-C1000/ 5,0	29.02.2008

00054	PHOENIX CONTACT GmbH & Co. KG	Cord Sets for optical fibre cabling	Assembled PROFINET fiber optics cable, Push-Pull SCRJ/IP67 metal on Push-Pull SCRJ/IP67 metal, round cable, type B, polymer fiber 980/1000 µm, for installation inside the buildings	VS-P1211-P1211-C1000/ 1,0 VS-P1211-P1211-C1000/ 2,0 VS-P1211-P1211-C1000/ 5,0	29.02.2008	
00055	PHOENIX CONTACT GmbH & Co. KG	Cord Sets for optical fibre cabling	Assembled FO cable, break-out cable, HCS fiber 200/230 µm, SCRJ/IP20 on FSMA/IP20, for installation inside control cabinets	VS-PC-2XHCS-200-SCRJ/FSMA-1 VS-PC-2XHCS-200-SCRJ/FSMA-2 VS-PC-2XHCS-200-SCRJ/FSMA-5	29.02.2008	
00056	PHOENIX CONTACT GmbH & Co. KG	Cord Sets for optical fibre cabling	Assembled FO cable, break-out cable, HCS fiber 200/230 µm, SCRJ/IP20 on SCRJ/IP20, for installation inside control cabinets	VS-PC-2XHCS-200-SCRJ/SCRJ-1 VS-PC-2XHCS-200-SCRJ/SCRJ-2 VS-PC-2XHCS-200-SCRJ/SCRJ-5	29.02.2008	
00057	PHOENIX CONTACT GmbH & Co. KG	Cord Sets for optical fibre cabling	Assembled PROFINET fiber optics cable, round cable, type B, Push-Pull SCRJ/IP67 plastic on SCRJ/IP20, HCS fiber 200/230 µm, for installation inside the buildings	VS-P1215-P1218-C1001/ 1,0 VS-P1215-P1218-C1001/ 2,0 VS-P1215-P1218-C1001/ 5,0	29.02.2008	
00058	PHOENIX CONTACT GmbH & Co. KG	Cord Sets for optical fibre cabling	Assembled PROFINET fiber optics cable, round cable, type B, Push-Pull SCRJ/IP67 plastic on Push-Pull SCRJ/IP67 plastic, HCS fiber 200/230 µm, for installation inside the buildings	VS-P1215-P1215-C1001/ 1,0 VS-P1215-P1215-C1001/ 2,0 VS-P1215-P1215-C1001/ 5,0	29.02.2008	
00059	PHOENIX CONTACT GmbH & Co. KG	Cord Sets for optical fibre cabling	Assembled PROFINET fiber optics cable, round cable, type B, Push-Pull SCRJ/IP67 metal/CRJ/IP20, HCS fiber 200/230 µm, for installation inside the buildings	VS-P1212-P1218-C1001/ 1,0 VS-P1212-P1218-C1001/ 2,0 VS-P1212-P1218-C1001/ 5,0	29.02.2008	
00060	PHOENIX CONTACT GmbH & Co. KG	Cord Sets for optical fibre cabling	Assembled PROFINET fiber optics cable, round cable, type B, Push-Pull SCRJ/IP67 metal on Push-Pull SCRJ/IP67 metal, HCS fiber 200/230 µm, for installation inside the buildings	VS-P1212-P1212-C1001/ 1,0 VS-P1212-P1212-C1001/ 2,0 VS-P1212-P1212-C1001/ 5,0	29.02.2008	
00061	BTR NETCOM GmbH	E-DAT Industry IP20 RJ45 field plug	black	Art.-Nr.:1401405012-I	18.03.2008	
00062	HARTING ELECTRIC GmbH & Co. KG	Balanced cables type A:	Industrial cat.5 standard cable, 4-wire, PROFINET Type A, PVC green	09456000100 09456000110 09456000130 09451000140	04.06.2008	Typ Nr. für 100 m Typ Nr. für 500 m Typ Nr. für 20 m Typ Nr. für 50 m
00063	HARTING ELECTRIC GmbH & Co. KG	Balanced cables type B:	Industrial cat.5 flexible cable, 4-wire, PROFINET Type B (specified up to 90mtrs.), PVC green	09456000102 09456000112 09456000132 09456000142	04.06.2008	Typ Nr. für 100 m Typ Nr. für 500 m Typ Nr. für 20 m Typ Nr. für 50 m
00064	HARTING ELECTRIC GmbH & Co. KG	Balanced cables type B:	Industrial cat.5 flexible cable, 4-wire, PROFINET Type B Outdoor (specified up to 90mtrs.), PVC black	09456000105 09456000115 09456000135 09456000145	04.06.2008	Typ Nr. für 100 m Typ Nr. für 500 m Typ Nr. für 20 m Typ Nr. für 50 m
00065	HARTING ELECTRIC GmbH & Co. KG	Balanced cables type C:	Industrial cat.5 flexible cable, 4-wire, trailing, PROFINET Type C, PUR green	09456000101 09456000111 09456000131 09456000141	04.06.2008	Typ Nr. für 100 m Typ Nr. für 500 m Typ Nr. für 20 m Typ Nr. für 50 m
00066	HARTING ELECTRIC GmbH & Co. KG	Hybrid cable type B:	Industrial cat.5 hybrid cable, 4-wire + 4 power, PROFINET Hybrid Type B, FRNC green	09456000300 09456000310 09456000330 09456000340	04.06.2008	Typ Nr. für 100 m Typ Nr. für 10 m Typ Nr. für 20 m Typ Nr. für 50 m
00067	HARTING ELECTRIC GmbH & Co. KG	Connectors for Outside Environment Push Pull (Balanced cabling) plastic	Han Push Pull RJ 45	09352220421	04.06.2008	for cable 5,0 - 8,0 mm
00068	HARTING ELECTRIC GmbH & Co. KG	Connectors for Outside Environment Push Pull (Balanced cabling) plastic	Han Push Pull RJ 45	09352210421	04.06.2008	for cable 6,5 - 9,5 mm
00069	HARTING ELECTRIC GmbH & Co. KG	Connectors for Outside Environment Push Pull (Balanced cabling) metal	Han Push Pull RJ 45 Metal	09352210401	04.06.2008	
00070	HARTING ELECTRIC GmbH & Co. KG	Connectors for Outside Environment Hybrid (Balanced cabling)	Han 3A RJ45 4-pole, plastic	09451251100	04.06.2008	straight version
00071	HARTING ELECTRIC GmbH & Co. KG	Connectors for Outside Environment Hybrid (Balanced cabling)	Han 3A RJ45 4-pole, plastic	09451251104	04.06.2008	angled version
00072	HARTING ELECTRIC GmbH & Co. KG	Connectors for Outside Environment Hybrid (Balanced cabling)	Han 3A RJ45 4-pole, metal	09451151100	04.06.2008	straight version
00073	HARTING ELECTRIC GmbH & Co. KG	Connectors for Outside Environment Hybrid (Balanced cabling)	Han 3A RJ45 4-pole, metal	09451151104	04.06.2008	angled version

00074	HARTING ELECTRIC GmbH&Co. KG	Connectors for Outside Environment Hybrid (Balanced cabling)	Han 3A RJ45 4-pole, metal (M-Version)	09451151102	04.06.2008	straight version
00075	HARTING ELECTRIC GmbH&Co. KG	Connectors for Outside Environment Hybrid (Balanced cabling)	Han 3A RJ45 4-pole, metal (M-Version)	09451151106	04.06.2008	angled version
00076	HARTING ELECTRIC GmbH&Co. KG	Connectors for Outside Environment Hybrid (Balanced cabling)	Han 3A RJ45 4-pole, metal (EMC-Version)	09451151105	04.06.2008	straight version
00077	HARTING ELECTRIC GmbH&Co. KG	Connectors for Outside Environment Hybrid (Balanced cabling)	Han 3A RJ45 Hybrid 4-pole	09451251300	04.06.2008	plastic version
00078	HARTING ELECTRIC GmbH&Co. KG	Connectors for Outside Environment Hybrid (Balanced cabling)	Han 3A RJ45 Hybrid 4-pole	10120052001	04.06.2008	metal version
00079	HARTING ELECTRIC GmbH&Co. KG	Connectors for Inside Environment	HARTING RJ Industrial RJ45 plug 4-pole	09451511100	04.06.2008	
00080	HARTING ELECTRIC GmbH&Co. KG	Connectors for Outside Environment M12 (optical fibre)	microFX connector	20100043411	04.06.2008	
00081	HARTING ELECTRIC GmbH&Co. KG	Connectors for Outside Environment Push Pull (optical fibre)	Han PushPull SCRJ plastic	09352410422	04.06.2008	plastic version
00082	HARTING ELECTRIC GmbH&Co. KG	Connectors for Outside Environment Push Pull (optical fibre)	Han PushPull SCRJ metal	09352410402	04.06.2008	metal version
00083	HARTING ELECTRIC GmbH&Co. KG	Connectors for Outside Environment M12 (Balanced cabling)	HARAX M12-L d-coded	21032811405	04.06.2008	
00084	HARTING ELECTRIC GmbH&Co. KG	Connectors for Outside Environment M12 (Balanced cabling)	Han M12 Crimp d-coded	21038821405	04.06.2008	contacts have to be ordered separately
00085	HARTING ELECTRIC GmbH&Co. KG	Bulkhead Adapter RJ45 / RJ 45 (Balanced cabling)	Han 3A RJ45 panel feed-through 8-pole plastic	09452251100	04.06.2008	straight version
00086	HARTING ELECTRIC GmbH&Co. KG	Bulkhead Adapter RJ45 / RJ 45 (Balanced cabling)	Han 3A RJ45 panel feed-through 8-pole plastic	09452251108	04.06.2008	angled version
00087	HARTING ELECTRIC GmbH&Co. KG	Bulkhead Adapter RJ45 / RJ 45 (Balanced cabling)	Han 3A RJ45 panel feed-through 8-pole metal	09452151100	04.06.2008	straight version
00088	HARTING ELECTRIC GmbH&Co. KG	Bulkhead Adapter RJ45 / RJ 45 (Balanced cabling)	Han 3A RJ45 panel feed-through 8-pole metal	09452151108	04.06.2008	angled version
00089	HARTING ELECTRIC GmbH&Co. KG	Bulkhead Adapter RJ45 / RJ 45 (Balanced cabling)	Han 3A RJ45 panel feed-through 8-pole metal (M-Version)	09452151102	04.06.2008	straight version
00090	HARTING ELECTRIC GmbH&Co. KG	Bulkhead Adapter RJ45 / RJ 45 (Balanced cabling)	Han 3A RJ45 panel feed-through 8-pole metal (M-Version)	09452151109	04.06.2008	angled version
00091	HARTING ELECTRIC GmbH&Co. KG	Bulkhead Adapter RJ45 / RJ 45 (Balanced cabling)	Han 3A RJ45 panel feed-through 8-pole metal, self-closing protective cap, straight	09452151103	04.06.2008	metal version
00092	HARTING ELECTRIC GmbH&Co. KG	Bulkhead Adapter RJ45 / RJ 45 (Balanced cabling)	Han 3A RJ45 panel feed-through 8-pole metal, self-closing protective cap, straight	09452151111	04.06.2008	M-Version
00093	HARTING ELECTRIC GmbH&Co. KG	Bulkhead Adapter RJ45 / RJ 45 (Balanced cabling)	Han 3A RJ45 panel feed-through 8-pole metal, self-closing protective cap, straight	09452151112	04.06.2008	EMC-Version
00094	HARTING ELECTRIC GmbH&Co. KG	Bulkhead Adapter RJ45 / RJ 45 (Balanced cabling)	Han 3A RJ45 couplings 8-pole	09452251107	04.06.2008	plastic version
00095	HARTING ELECTRIC GmbH&Co. KG	Bulkhead Adapter RJ45 / RJ 45 (Balanced cabling)	Han 3A RJ45 couplings 8-pole	09452151107	04.06.2008	metal version
00096	HARTING ELECTRIC GmbH&Co. KG	Bulkhead Adapter RJ45 / RJ 45 (Balanced cabling)	Han 3A RJ45 couplings 8-pole	09452151110	04.06.2008	M-Version
00097	HARTING ELECTRIC GmbH&Co. KG	Bulkhead Adapter M12 / RJ 45 (Balanced cabling)	Han M12-RJ45 panel feed through	21033814400	04.06.2008	angled version
00098	HARTING ELECTRIC GmbH&Co. KG	Bulkhead Adapter M12 / RJ 45 (Balanced cabling)	Han M12-RJ45 panel feed through	21033812400	04.06.2008	straight version
00099	HARTING ELECTRIC GmbH&Co. KG	Bulkhead Adapter M12 / M12 (Balanced cabling)	Han M12-M12 Gender Changer	21033816405	04.06.2008	
00100	HARTING ELECTRIC GmbH&Co. KG	Bulkhead Adapter Han Push Pull SCRJ (optical fibre)	Han PushPull SCRJ plastic	09352420333	04.06.2008	
00101	HARTING ELECTRIC GmbH&Co. KG	Bulkhead Adapter Han Push Pull SCRJ (optical fibre)	Han PushPull SCRJ metal	09352420313	04.06.2008	
00102	HARTING ELECTRIC GmbH&Co. KG	Bulkhead Adapter Han Push Pull / RJ 45	Han Push Pull RJ 45 Metal panel feed through	09352210311	04.06.2008	2 x RJ 45 horizontally mounted
00103	HARTING ELECTRIC GmbH&Co. KG	Bulkhead Adapter Han Push Pull / RJ 45	Han Push Pull RJ 45 Metal panel feed through	09352230311	04.06.2008	RJ 45 vertically mounted in IP 20 range
00104	HARTING ELECTRIC GmbH&Co. KG	Bulkhead Adapter Han Push Pull / RJ 45	Han Push Pull RJ 45 plastic panel feed through	09352210331	04.06.2008	2 x RJ 45 horizontally mounted

00105	HARTING ELECTRIC GmbH&Co. KG	Bulkhead Adapter Han Push Pull / RJ 45	Han Push Pull RJ 45 plastic panel feed through	09352230333	04.06.2008	RJ 45 vertically mounted in IP 20 range
00106	HARTING ELECTRIC GmbH&Co. KG	Cord Sets for Balanced cables type A: Connectors for Inside Environment (Balanced Cabling)	HARTING RJ Industrial systemcords IP20 RJ45, 4-wire, type A straight RJ45 connectors, different lengths	09457710023 09457710025 09457710027 09457710051 09457710053	04.06.2008	1,5 m 3,0 m 5,0 m 10,0 m 20,0 m
00107	HARTING ELECTRIC GmbH&Co. KG	Cord Sets for Balanced cables type A: Connectors for Inside Environment (Balanced Cabling)	HARTING RJ Industrial systemcords IP20 RJ45, 4-wire, type A straight RJ45 multiport connectors, different lengths	09473434006 09473434009 09473434012 09473434018 09473434020	04.06.2008	1,5 m 3,0 m 5,0 m 10,0 m 20,0 m
00108	HARTING ELECTRIC GmbH&Co. KG	Cord Sets for Balanced cables type A: Connectors for Inside Environment (Balanced Cabling)	HARTING RJ Industrial systemcords IP20 RJ45, 4-wire, type A angled connectors, different arrangement of angles (left, right, top and down), different lengths	09470506001 09470506002 09470506003 09470506004 09470506005 09470506007	04.06.2008	RJ45 left angled to RJ45 right angled, 0,5m RJ45 left angled to RJ45 right angled, 1,0m RJ45 left angled to RJ45 right angled, 1,5m RJ45 left angled to RJ45 right angled, 2,0m RJ45 left angled to RJ45 right angled, 3,0m RJ45 left angled to RJ45 right angled, 5,0m
00109	HARTING ELECTRIC GmbH&Co. KG	Cord Sets for Balanced cables type A: Connectors for Inside Environment (Balanced Cabling)	HARTING RJ Industrial systemcords IP20 RJ45, 4-wire, type A angled connectors, different arrangement of angles (left, right, top and down), different lengths	09470304001 09470304002 09470304003 09470304004 09470304005 09470304007	04.06.2008	RJ45 top angled to RJ45 down angled, 0,5m RJ45 top angled to RJ45 down angled, 1,0m RJ45 top angled to RJ45 down angled, 1,5m RJ45 top angled to RJ45 down angled, 2,0m RJ45 top angled to RJ45 down angled, 3,0m RJ45 top angled to RJ45 down angled, 5,0m
00110	HARTING ELECTRIC GmbH&Co. KG	Cord Sets for Balanced cables type A: Connectors for Outside Environment Push Pull (Balanced cabling)	Han PushPull plastic IP65/67systemcords, 4-wire, type A PushPull variant 14 in plastic, different lengths	09475555003 09475555005 09475555007 09475555012 09475555014	04.06.2008	1,5m 3,0m 5,0m 10,0m 20,0m
00111	HARTING ELECTRIC GmbH&Co. KG	Cord Sets for Balanced cables type A: Connectors for Outside Environment Push Pull (Balanced cabling)	Han PushPull metal IP65/67systemcords, 4-wire, type A PushPull variant 14 in metal, different lengths	09475656003 09475656005 09475656007 09475656012 09475656014	04.06.2008	1,5m 3,0m 5,0m 10,0m 20,0m
00112	HARTING ELECTRIC GmbH&Co. KG	Cord Sets for Balanced cables type A: Connectors for Outside Environment Push Pull (Balanced cabling)	Han3A systemcord RJ45 IP65/67, 4-wire, type A Han3A RJ45 in metal, different lengths	09457151123 09457151125 09457151127 09457151151 09457151153	04.06.2008	1,5m 3,0m 5,0m 10,0m 20,0m

00113	HARTING ELECTRIC GmbH&Co. KG	Cord Sets for Balanced cables type A: Connectors for Outside Environment Push Pull (Balanced cabling)	Han3A systemcord RJ45 IP65/67 to RJ45 IP20, 4-wire, type A Han3A RJ45 in metal to RJ45 IP20, different lengths	09457001123 09457001125 09457001127 09457001151 09457001153	04.06.2008	1,5m 3,0m 5,0m 10,0m 20,0m
00114	HARTING ELECTRIC GmbH&Co. KG	Cord Sets for Balanced cables type B: Connectors for Inside Environment (Balanced Cabling)	HARTING RJ Industrial systemcords IP20 RJ45, 4-wire, type B straight RJ45 connectors, different lengths	09457711123 09457711125 09457711127 09457711151 09457711153	04.06.2008	1,5m 3,0m 5,0m 10,0m 20,0m
00115	HARTING ELECTRIC GmbH&Co. KG	Cord Sets for Balanced cables type B: Connectors for Inside Environment (Balanced Cabling)	HARTING RJ Industrial systemcords IP20 RJ45, 4-wire, type B straight RJ45 multiport connectors, different lengths	09473434034 09473434037 09473434040 09473434046 09473434048	04.06.2008	1,5m 3,0m 5,0m 10,0m 20,0m
00116	HARTING ELECTRIC GmbH&Co. KG	Cord Sets for Balanced cables type B: Connectors for Inside Environment (Balanced Cabling)	HARTING RJ Industrial systemcords IP20 RJ45, 4-wire, type B angled connectors, different arrangement of angles (left, right, top and down), different lengths	09470506023 09470506024 09470506025 09470506025 09470506027 09470506029	04.06.2008	RJ45 left angled to RJ45 right angled, 0,5m RJ45 left angled to RJ45 right angled, 1,0m RJ45 left angled to RJ45 right angled, 1,5m RJ45 left angled to RJ45 right angled, 2,0m RJ45 left angled to RJ45 right angled, 3,0m RJ45 left angled to RJ45 right angled, 5,0m
00117	HARTING ELECTRIC GmbH&Co. KG	Cord Sets for Balanced cables type B: Connectors for Inside Environment (Balanced Cabling)	HARTING RJ Industrial systemcords IP20 RJ45, 4-wire, type B angled connectors, different arrangement of angles (left, right, top and down), different lengths	09470304023 09470304024 09470304025 09470304026 09470304027 09470304029	04.06.2008	RJ45 left angled to RJ45 right angled, 0,5m RJ45 left angled to RJ45 right angled, 1,0m RJ45 left angled to RJ45 right angled, 1,5m RJ45 left angled to RJ45 right angled, 2,0m RJ45 left angled to RJ45 right angled, 3,0m RJ45 left angled to RJ45 right angled, 5,0m
00118	HARTING ELECTRIC GmbH&Co. KG	Cord Sets for Balanced cables type B: Connectors for Outside Environment Push Pull (Balanced cabling)	Han PushPull plastic IP65/67systemcords, 4-wire, type B PushPull variant 14 in plastic, different lengths	09475555033 09475555035 09475555037 09475555042 09475555044	04.06.2008	1,5m 3,0m 5,0m 10,0m 20,0m
00119	HARTING ELECTRIC GmbH&Co. KG	Cord Sets for Balanced cables type B: Connectors for Outside Environment Push Pull (Balanced cabling)	Han PushPull metal IP65/67systemcords, 4-wire, type B PushPull variant 14 in metal, different lengths	09475656033 09475656035 09475656037 09475656042 09475656044	04.06.2008	1,5m 3,0m 5,0m 10,0m 20,0m
00120	HARTING ELECTRIC GmbH&Co. KG	Cord Sets for Balanced cables type B: Connectors for Outside Environment Push Pull (Balanced cabling)	Han3A systemcord RJ45 IP65/67, 4-wire, type B Han3A RJ45 in metal, different lengths	09457151164 09457151166 09457151168 09457151173 09457151175	04.06.2008	1,5m 3,0m 5,0m 10,0m 20,0m

00121	HARTING ELECTRIC GmbH&Co. KG	Cord Sets for Balanced cables type B: Connectors for Outside Environment Push Pull (Balanced cabling)	Han3A systemcord RJ45 IP65/67 to RJ45 IP20, 4-wire, type B Han3A RJ45 in metal to RJ45 IP20, different lengths	09457001164 09457001166 09457001168 09457001173 09457001175	04.06.2008	1,5m 3,0m 5,0m 10,0m 20,0m
00122	HARTING ELECTRIC GmbH&Co. KG	Cord Sets for Balanced cables type B: Connectors for Outside Environment Push Pull (Balanced cabling)	Han PushPull plastic IP65/67systemcords, 4-wire, type B outdoor PushPull variant 14 in plastic, different lengths	09475555093 09475555095 09475555097 09475555102 09475555104	04.06.2008	1,5m 3,0m 5,0m 10,0m 20,0m
00123	HARTING ELECTRIC GmbH&Co. KG	Cord Sets for Balanced cables type B: Connectors for Outside Environment Push Pull (Balanced cabling)	Han PushPull metal IP65/67systemcords, 4-wire, type B outdoor PushPull variant 14 in metal, different lengths	09475656093 09475656095 09475656097 09475656102 09475656104	04.06.2008	1,5m 3,0m 5,0m 10,0m 20,0m
00124	HARTING ELECTRIC GmbH&Co. KG	Cord Sets for Balanced cables type C: Connectors for Inside Environment (Balanced Cabling)	HARTING RJ Industrial systemcords IP20 RJ45, 4-wire, type C straight RJ45 connectors, different lengths	09457711164 09457711166 09457711168 09457711173 09457711175	04.06.2008	1,5m 3,0m 5,0m 10,0m 20,0m
00125	HARTING ELECTRIC GmbH&Co. KG	Cord Sets for Balanced cables type C: Connectors for Inside Environment (Balanced Cabling)	HARTING RJ Industrial systemcords IP20 RJ45, 4-wire, type C straight RJ45 multiport connectors, different lengths	09473434090 09473434093 09473434096 09473434102 09473434104	04.06.2008	1,5m 3,0m 5,0m 10,0m 20,0m
00126	HARTING ELECTRIC GmbH&Co. KG	Cord Sets for Balanced cables type C: Connectors for Inside Environment (Balanced Cabling)	HARTING RJ Industrial systemcords IP20 RJ45, 4-wire, type C angled connectors, different arrangement of angles (left, right, top and down), different lengths	09470506045 09470506046 09470506047 09470506048 09470506049 09470506051	04.06.2008	RJ45 left angled to RJ45 right angled, 0,5m RJ45 left angled to RJ45 right angled, 1,0m RJ45 left angled to RJ45 right angled, 1,5m RJ45 left angled to RJ45 right angled, 2,0m RJ45 left angled to RJ45 right angled, 3,0m RJ45 left angled to RJ45 right angled, 5,0m
00127	HARTING ELECTRIC GmbH&Co. KG	Cord Sets for Balanced cables type C: Connectors for Inside Environment (Balanced Cabling)	HARTING RJ Industrial systemcords IP20 RJ45, 4-wire, type C angled connectors, different arrangement of angles (left, right, top and down), different lengths	09470304045 09470304046 09470304047 09470304048 09470304049 09470304051	04.06.2008	RJ45 top angled to RJ45 down angled, 0,5m RJ45 top angled to RJ45 down angled, 1,0m RJ45 top angled to RJ45 down angled, 1,5m RJ45 top angled to RJ45 down angled, 2,0m RJ45 top angled to RJ45 down angled, 3,0m RJ45 top angled to RJ45 down angled, 5,0m

00128	HARTING ELECTRIC GmbH&Co. KG	Cord Sets for Balanced cables type C: Connectors for Outside Environment M12 (Balanced cabling)	M12 cords mit Typ C Kabel both ends overmolded cordset M12 d-coded , straight	21034851401 21034851403 21034851405 21034851410 21034851415 21034851425 21034851425	04.06.2008	M12-M12 d-coded, straight, 1.0 m M12-M12 d-coded, straight, 3.0 m M12-M12 d-coded, straight, 5.0 m M12-M12 d-coded, straight, 10.0 m M12-M12 d-coded, straight, 15.0 m M12-M12 d-coded, straight, 25.0 m M12-M12 d-coded, straight, 40.0 m
00129	HARTING ELECTRIC GmbH&Co. KG	Cord Sets for Balanced cables type C: Connectors for Outside Environment Push Pull (Balanced cabling)	Han PushPull plastic IP65/67systemcords, 4-wire, type C PushPull variant 14 in plastic, different lengths	09475555063 09475555065 09475555067 09475555072 09475555074	04.06.2008	1,5m 3,0m 5,0m 10,0m 20,0m
00130	HARTING ELECTRIC GmbH&Co. KG	Cord Sets for Balanced cables type C: Connectors for Outside Environment Push Pull (Balanced cabling)	Han PushPull metal IP65/67systemcords, 4-wire, type C PushPull variant 14 in metal, different lengths	09475656063 09475656065 09475656067 09475656072 09475656074	04.06.2008	1,5m 3,0m 5,0m 10,0m 20,0m
00131	HARTING ELECTRIC GmbH&Co. KG	Cord Sets for Balanced cables type C: Connectors for Outside Environment Push Pull (Balanced cabling)	Han3A systemcord RJ45 IP65/67, 4-wire, type C Han3A RJ45 in metal, different lengths	09457150023 09457150025 09457150027 09457150051 09457150053	04.06.2008	1,5m 3,0m 5,0m 10,0m 20,0m
00132	HARTING ELECTRIC GmbH&Co. KG	Cord Sets for Balanced cables type C: Connectors for Outside Environment Push Pull (Balanced cabling)	Han3A systemcord RJ45 IP65/67 to RJ45 IP20, 4-wire, type C Han3A RJ45 in metal to RJ45 IP20, different lengths	09457000023 09457000025 09457000027 09457000051 09457000053	04.06.2008	1,5m 3,0m 5,0m 10,0m 20,0m
00133	HARTING ELECTRIC GmbH&Co. KG	Cord Sets for Hybrid cables: Connectors for Outside Environment (Hybrid cabling)	Han3A Hybrid systemcords different lengths	09457251323 09457251325 09457251327 09457251351 09457251353	04.06.2008	1,5m 3,0m 5,0m 10,0m 20,0m
00134	Telegärtner Karl Gärtner GmbH	Connectors for Inside Environment (Balanced Cabling)	STX IP20 field plug RJ45 AWG22-26 Cat.6 black	J80026A0003	18.06.2008	
00135	Telegärtner Karl Gärtner GmbH	Connectors for Inside Environment (optical fibre)	STX IP20 SC-RJ plug Singelmode	J88080A0005	18.06.2008	
00136	Telegärtner Karl Gärtner GmbH	Connectors for Inside Environment (optical fibre)	STX IP20 SC-RJ plug Multimode	J88080A0004	18.06.2008	
00137	Telegärtner Karl Gärtner GmbH	Connectors for Inside Environment (optical fibre)	STX IP20 SC-RJ plug POF	J88080A0006	18.06.2008	
00138	Weidmueller Interface GmbH & Co. KG	M12-Kabel Profinet einseitig	IE-C5DD4UG0015MCSXXX-E	1025940015	18.06.2008	1,5m
00139	Weidmueller Interface GmbH & Co. KG	M12-Kabel Profinet einseitig	IE-C5DD4UG0030MCSXXX-E	1025940030	18.06.2008	3,0m
00140	Weidmueller Interface GmbH & Co. KG	M12-Kabel Profinet einseitig	IE-C5DD4UG0050MCSXXX-E	1025940050	18.06.2008	5,0m
00141	Weidmueller Interface GmbH & Co. KG	M12-Kabel Profinet einseitig	IE-C5DD4UG0100MCSXXX-E	1025940100	18.06.2008	10,0m
00142	Weidmueller Interface GmbH & Co. KG	M12-Kabel Profinet beidseitig	IE-C5DD4UG0005MCSMCS-E	1025950005	18.06.2008	0,5m
00143	Weidmueller Interface GmbH & Co. KG	M12-Kabel Profinet beidseitig	IE-C5DD4UG0015MCSMCS-E	1025950015	18.06.2008	1,5m
00144	Weidmueller Interface GmbH & Co. KG	M12-Kabel Profinet beidseitig	IE-C5DD4UG0030MCSMCS-E	1025950030	18.06.2008	3,0m
00145	Weidmueller Interface GmbH & Co. KG	M12-Kabel Profinet beidseitig	IE-C5DD4UG0050MCSMCS-E	1025950050	18.06.2008	5,0m
00146	Weidmueller Interface GmbH & Co. KG	M12-Kabel Profinet beidseitig	IE-C5DD4UG0100MCSMCS-E	1025950100	18.06.2008	10,0m
00147	Weidmueller Interface GmbH & Co. KG	M12-Kabel Profinet M12-RJ45	IE-C5DD4UG0010MCSA20-E	1044470010	18.06.2008	1,0m
00148	Weidmueller Interface GmbH & Co. KG	M12-Kabel Profinet M12-RJ45	IE-C5DD4UG0015MCSA20-E	1044470015	18.06.2008	1,5m

00149	Weidmueller Interface GmbH & Co. KG	M12-Kabel Profinet M12-RJ45	IE-C5DD4UG0030MCSA20-E	1044470030	18.06.2008	3,0m
00150	Weidmueller Interface GmbH & Co. KG	M12-Kabel Profinet M12-RJ45	IE-C5DD4UG0050MCSA20-E	1044470050	18.06.2008	5,0m
00151	Weidmueller Interface GmbH & Co. KG	M12-Kabel Profinet M12-RJ45	IE-C5DD4UG0100MCSA20-E	1044470100	18.06.2008	10,0m
00152	Weidmueller Interface GmbH & Co. KG	M12-Kabel Profinet M12-RJ45	IE-C5DD4UG0150MCSA20-E	1044470150	18.06.2008	15,0m
00153	Weidmueller Interface GmbH & Co. KG	Adapter + Kupplung M12	IE-M12-ADAP S	8901620000	18.06.2008	
00154	Weidmueller Interface GmbH & Co. KG	Adapter + Kupplung M12	IE-M12-ADAP A	8901630000	18.06.2008	
00155	Weidmueller Interface GmbH & Co. KG	Adapter + Kupplung M12	IE-M12-COUP	8901640000	18.06.2008	
00156	Weidmueller Interface GmbH & Co. KG	Leiterplattenanschlusselemente M12	IE-M12-PCBCE	8902810000	18.06.2008	
00157	Weidmueller Interface GmbH & Co. KG	Leiterplattenanschlusselemente M12	IE-M12-PCBCE-PANEL	8902820000	18.06.2008	
00158	Weidmueller Interface GmbH & Co. KG	Profinetkabel, Meterware	IE-C5AS4V1000	8899000000	18.06.2008	
00159	Weidmueller Interface GmbH & Co. KG	Profinetkabel, Meterware	IE-C5DS4V1000	8898990000	18.06.2008	
00160	Weidmueller Interface GmbH & Co. KG	Profinetkabel, Meterware	IE-C5DD4U1000	8899010000	18.06.2008	
00161	Weidmueller Interface GmbH & Co. KG	FO cable, breakout, MM 50µm	IE-FM5B2VE-MW	8946000000	18.06.2008	
00162	Weidmueller Interface GmbH & Co. KG	FO cable, breakout, MM 62,5µm	IE-FM6B2VE-MW	8956060000	18.06.2008	
00163	Weidmueller Interface GmbH & Co. KG	FO cable Schleppkette, breakout, MM 50µm	IE-FM5D2UE-MW	8956070000	18.06.2008	
00164	Weidmueller Interface GmbH & Co. KG	FO cable Schleppkette, breakout, MM 62,5µm	IE-FM6D2UE-MW	8956050000	18.06.2008	
00165	Weidmueller Interface GmbH & Co. KG	M12-Kabel A Kodiert Buchse gerade 4 polig,	SAIL-M12BG-4-5,0U	945773 0500	18.06.2008	5,0m
00166	Weidmueller Interface GmbH & Co. KG	M12-Kabel A Kodiert Buchse gerade 4 polig,	SAIL-M12BG-4-10,0U	945773 1000	18.06.2008	10,0m
00167	Weidmueller Interface GmbH & Co. KG	M12-Kabel A Kodiert Buchse gewinkelt 4 polig,	SAIL-M12BW-4-5,0U	945774 0500	18.06.2008	5,0m
00168	Weidmueller Interface GmbH & Co. KG	M12-Kabel A Kodiert Buchse gewinkelt 4 polig,	SAIL-M12BW-4-10,0U	945774 1000	18.06.2008	10,0m
00169	Weidmueller Interface GmbH & Co. KG	M12 Stecker Buchse frei konfektionierbar Kunststoff,	SAIB-5/7	945725 0000	18.06.2008	
00170	Weidmueller Interface GmbH & Co. KG	M12 Stecker Buchse frei konfektionierbar Kunststoff,	SAIBW-5/7	945726 0000	18.06.2008	
00171	Weidmueller Interface GmbH & Co. KG	M12 Stecker Stecker frei konfektionierbar Kunststoff,	SAIB-5/7	945694 0000	18.06.2008	
00172	Weidmueller Interface GmbH & Co. KG	M12 Stecker Stecker frei konfektionierbar Kunststoff,	SAIBW-5/7	945695 0000	18.06.2008	
00173	Weidmueller Interface GmbH & Co. KG	RockStar HQ 4/2 Connector Insert	HDC HQ 4 2 FC	1003160000	18.06.2008	
00174	Weidmueller Interface GmbH & Co. KG	RockStar HQ 4/2 Connector Housing	HDC HQ 4 2 MC	1003170000	18.06.2008	
00175	Weidmueller Interface GmbH & Co. KG	RockStar HQ 4/2 Connector Housing	HDC HQP ALU	1003040000	18.06.2008	
00176	Weidmueller Interface GmbH & Co. KG	RockStar HQ 4/2 Connector Housing	HDC HQM ALU	1003050000	18.06.2008	
00177	Weidmueller Interface GmbH & Co. KG	RockStar HQ 4/2 Connector Housing	HDC HQP AWLU	1003060000	18.06.2008	
00178	Weidmueller Interface GmbH & Co. KG	RockStar HQ 4/2 Connector Housing	HDC HQP TOLU	1003070000	18.06.2008	
00179	Weidmueller Interface GmbH & Co. KG	RockStar HQ 4/2 Connector Housing	HDC HQM TOLU	1003080000	18.06.2008	
00180	Weidmueller Interface GmbH & Co. KG	RockStar HQ 4/2 Connector Housing	HDC HQP TSLU	1003090000	18.06.2008	
00181	Weidmueller Interface GmbH & Co. KG	RockStar HQ 4/2 Connector Housing	HDC HQM TSLU	1003100000	18.06.2008	
00182	Weidmueller Interface GmbH & Co. KG	RockStar HQ 4/2 Connector Housing	HDC HQP SLU	1003110000	18.06.2008	
00183	Weidmueller Interface GmbH & Co. KG	RockStar HQ 4/2 Connector Housing	HDC HQP KOLU	1003120000	18.06.2008	
00184	Weidmueller Interface GmbH & Co. KG	RockStar HQ 4/2 Connector Housing	HDC HQP DMD 2BO	1003130000	18.06.2008	
00185	Weidmueller Interface GmbH & Co. KG	RockStar HQ 4/2 Connector Housing	HDC HQP DOD 2BO	1003140000	18.06.2008	
00186	Weidmueller Interface GmbH & Co. KG	RockStar HQ 4/2 Connector Gasket	HDC HQP FD	1003150000	18.06.2008	
00187	Weidmueller Interface GmbH & Co. KG	RockStar HQ 4/2 Connector Power Contact	HDC C HX SM1.5AG	1002910000	18.06.2008	
00188	Weidmueller Interface GmbH & Co. KG	RockStar HQ 4/2 Connector Power Contact	HDC C HX SM2.5AG	1002920000	18.06.2008	
00189	Weidmueller Interface GmbH & Co. KG	RockStar HQ 4/2 Connector Power Contact	HDC C HX SM4.0AG	1002930000	18.06.2008	
00190	Weidmueller Interface GmbH & Co. KG	RockStar HQ 4/2 Connector Power Contact	HDC C HX SM6.0AG	1002940000	18.06.2008	
00191	Weidmueller Interface GmbH & Co. KG	RockStar HQ 4/2 Connector Power Contact	HDC C HX BM1.5AG	1002950000	18.06.2008	
00192	Weidmueller Interface GmbH & Co. KG	RockStar HQ 4/2 Connector Power Contact	HDC C HX BM2.5AG	1002960000	18.06.2008	
00193	Weidmueller Interface GmbH & Co. KG	RockStar HQ 4/2 Connector Power Contact	HDC C HX BM4.0AG	1002970000	18.06.2008	
00194	Weidmueller Interface GmbH & Co. KG	RockStar HQ 4/2 Connector Power Contact	HDC C HX BM6.0AG	1002980000	18.06.2008	
00195	Weidmueller Interface GmbH & Co. KG	RockStar HQ 4/2 Connector Removal Tool	Removal Tool HX	1002990000	18.06.2008	
00196	Weidmueller Interface GmbH & Co. KG	RockStar HQ 4/2 Connector Crimping Tool	CTIN CM 1.6/2.5	9205430000	18.06.2008	
00197	Weidmueller Interface GmbH & Co. KG	RockStar HQ 4/2 Connector Cable Gland	PG16 HQ CABLE GLAND PLASTIC IP68	1016070000	18.06.2008	
00198	Weidmueller Interface GmbH & Co. KG	RockStar HQ 4/2 Connector Cable Gland	PG16 HQ CABLE GLAND PLASTIC IP68	1016080000	18.06.2008	
00199	Weidmueller Interface GmbH & Co. KG	RockStar HQ 4/2 Connector Cable Gland	PG21 HQ CABLE GLAND METAL IP68	1016090000	18.06.2008	
00200	Weidmueller Interface GmbH & Co. KG	RockStar HQ 4/2 Connector Cable Gland	PG21 HQ CABLE GLAND METAL IP68	1016100000	18.06.2008	
00201	Weidmueller Interface GmbH & Co. KG	RockStar HQ 4/2 Connector Cable Gland	PG21 HQ CABLE GLAND METAL IP68	1016110000	18.06.2008	
00202	Weidmueller Interface GmbH & Co. KG	RockStar HQ 4/2 Connector Cable Gland	PG21 HQ CABLE GLAND EMC IP68	1016120000	18.06.2008	
00203	Weidmueller Interface GmbH & Co. KG	RockStar HQ 4/2 Connector Cable Gland	PG21 HQ CABLE GLAND EMC IP68	1016130000	18.06.2008	
00204	Weidmueller Interface GmbH & Co. KG	RockStar HQ 4/2 Connector Cable Gland	VG16 HQ K68 9-12SH	1045530000	18.06.2008	
00205	Weidmueller Interface GmbH & Co. KG	RockStar HQ 4/2 Connector Cable Gland	VG16 HQ K68 11,5-15,5SH	1045540000	18.06.2008	
00206	Weidmueller Interface GmbH & Co. KG	RockStar HQ 4/2 Connector Coding Pin	HDC HQ CP	1003240000	18.06.2008	
00207	Weidmueller Interface GmbH & Co. KG	Steckergehäuse	IE-PH-V05M	1962540000	18.06.2008	
00208	Weidmueller Interface GmbH & Co. KG	Steckereinsatz	IE-PI-RJ45-FH	1962730000	18.06.2008	
00209	Weidmueller Interface GmbH & Co. KG	Flanscheinsatz	IE-BI-RJ45-C	1962840000	18.06.2008	
00210	Weidmueller Interface GmbH & Co. KG	Stecker LWL	IE-PS-SCRJ-MM	1962940000	18.06.2008	

00211	Weidmueller Interface GmbH & Co. KG	Stecker LWL	IE-PS-SCRJ-SM	1962950000	18.06.2008
00212	Weidmueller Interface GmbH & Co. KG	Stecker LWL	IE-PS-SCRJ-POF	1962960000	18.06.2008
00213	Weidmueller Interface GmbH & Co. KG	Stecker V5 RJ45	IE-PS-V05M-RJ45-FH	1963200000	18.06.2008
00214	Weidmueller Interface GmbH & Co. KG	Flansch V5 RJ45	IE-BS-V05M-RJ45-C	1963510000	18.06.2008
00215	Weidmueller Interface GmbH & Co. KG	Flanschgehäuse	IE-BH-V05M	1963530000	18.06.2008
00216	Weidmueller Interface GmbH & Co. KG	Stecker RJ45	IE-PS-RJ45-FH-BK	1963600000	18.06.2008
00217	Weidmueller Interface GmbH & Co. KG	Flansch V5 RJ45	IE-BS-V05M-RJ45-FJ-P	1963700000	18.06.2008
00218	Weidmueller Interface GmbH & Co. KG	Flanscheinsetz	IE-BI-RJ45-FJ-P	1963830000	18.06.2008
00219	Weidmueller Interface GmbH & Co. KG	Outlet IP67	IE-OM-V05M-K11-1S	1966260000	18.06.2008
00220	Weidmueller Interface GmbH & Co. KG	Outlet IP67	IE-OM-V05M-K21-2R	1966270000	18.06.2008
00221	Weidmueller Interface GmbH & Co. KG	Outlet IP67	IE-OM-V05M-K21-2L	1966280000	18.06.2008
00222	Weidmueller Interface GmbH & Co. KG	Outlet IP67	IE-OM-V05M-K21-2S	1966290000	18.06.2008
00223	Weidmueller Interface GmbH & Co. KG	Tragschienenoutlet	IE-TO-RJ45-C	8946920000	18.06.2008
00224	Weidmueller Interface GmbH & Co. KG	Tragschienenoutlet	IE-TO-RJ45-FJ-P	8946950000	18.06.2008
00225	Weidmueller Interface GmbH & Co. KG	Tragschienenoutlet	IE-TO-SCRJ-MM	8946990000	18.06.2008
00226	Weidmueller Interface GmbH & Co. KG	Tragschienenoutlet	IE-TO-SCRJ-SM	8947000000	18.06.2008
00227	Siemens	IE Connecting Cable M12-180/M12-180	vorkonfektioniertes IE FC TP Trailing Cable GP 2x2 (PROFINET Typ C) mit zwei 4-poligen M12-Steckern (4-polig, D-kodiert). Schutzart IP 65/67, 0,3 m	6XV1 870-8AE30	13.11.2009
00228	Siemens	IE Connecting Cable M12-180/M12-180	vorkonfektioniertes IE FC TP Trailing Cable GP 2x2 (PROFINET Typ C) mit zwei 4-poligen M12-Steckern (4-polig, D-kodiert). Schutzart IP 65/67, 0,5 m	6XV1 870-8AE50	13.11.2009
00229	Siemens	IE Connecting Cable M12-180/M12-180	vorkonfektioniertes IE FC TP Trailing Cable GP 2x2 (PROFINET Typ C) mit zwei 4-poligen M12-Steckern (4-polig, D-kodiert). Schutzart IP 65/67, 1m	6XV1 870-8AH10	13.11.2009
00230	Siemens	IE Connecting Cable M12-180/M12-180	vorkonfektioniertes IE FC TP Trailing Cable GP 2x2 (PROFINET Typ C) mit zwei 4-poligen M12-Steckern (4-polig, D-kodiert). Schutzart IP 65/67, 1,5 m	6XV1 870-8AH15	13.11.2009
00231	Siemens	IE Connecting Cable M12-180/M12-180	vorkonfektioniertes IE FC TP Trailing Cable GP 2x2 (PROFINET Typ C) mit zwei 4-poligen M12-Steckern (4-polig, D-kodiert). Schutzart IP 65/67, 2,0 m	6XV1 870-8AH20	13.11.2009
00232	Siemens	IE Connecting Cable M12-180/M12-180	vorkonfektioniertes IE FC TP Trailing Cable GP 2x2 (PROFINET Typ C) mit zwei 4-poligen M12-Steckern (4-polig, D-kodiert). Schutzart IP 65/67, 3,0 m	6XV1 870-8AH30	13.11.2009
00233	Siemens	IE Connecting Cable M12-180/M12-180	vorkonfektioniertes IE FC TP Trailing Cable GP 2x2 (PROFINET Typ C) mit zwei 4-poligen M12-Steckern (4-polig, D-kodiert). Schutzart IP 65/67, 5,0 m	6XV1 870-8AH50	13.11.2009
00234	Siemens	IE Connecting Cable M12-180/M12-180	vorkonfektioniertes IE FC TP Trailing Cable GP 2x2 (PROFINET Typ C) mit zwei 4-poligen M12-Steckern (4-polig, D-kodiert). Schutzart IP 65/67, 10 m	6XV1 870-8AN10	13.11.2009
00235	Siemens	IE Connecting Cable M12-180/M12-180	vorkonfektioniertes IE FC TP Trailing Cable GP 2x2 (PROFINET Typ C) mit zwei 4-poligen M12-Steckern (4-polig, D-kodiert). Schutzart IP 65/67, 15 m	6XV1 870-8AN15	13.11.2009
00236	Siemens	IE RJ45 Plug PRO	RJ45 Steckverbinder mit integrierten Schneidklemmen, IP65/67, Kabelabgang 180°	6GK1 901-1BB10-6AA0	13.11.2009
00237	Siemens	Power Plug PRO	Power Steckverbinder, IP65/67, Kabelabgang 180°	6GK1 907-0AB10-6AA0	13.11.2009
00238	Siemens	IE FC M12 Plug PRO	M12 Steckverbinder mit robustem Metallgehäuse und Schnellanschlusstechnik, 180° Kabelabgang (D-kodiert); 1 Packung = 8 Stück für SCALANCE X208 PRO und ET200 PRO PN	6GK1 901-0DB10-6AA8	13.11.2009
00239	Siemens	IE FC M12 Plug PRO	M12 Steckverbinder mit robustem Metallgehäuse und Schnellanschlusstechnik, 180° Kabelabgang (D-kodiert); 1 Packung = 1 Stück für SCALANCE X208 PRO und ET200 PRO PN	6GK1 901-0DB10-6AA0	13.11.2009
00240	Siemens	IE SC RJ POF Plug PRO	SC RJ Steckverbinder für POF Fasern, IP65/67, Kabelabgang 180°	6GK1 900-0MB00-6AA0	13.11.2009
00241	Siemens	IE SC RJ PCF Plug PRO	SC RJ Steckverbinder für PCF Fasern, IP65/67, Kabelabgang 180°	6GK1 900-0NB00-6AA0	13.11.2009
00242	Siemens	IE FC TP Standard Cable GP 2x2 (Typ A)	4-adrige geschirmte, Cat5e, TP Installationsleitung zum Anschluss an IE FC RJ45 Plug; PROFINET-konform; mit UL-Zulassung; Meterware	6XV1 840-2AH10	13.11.2009
00243	Siemens	IE FC TP Standard Cable GP 2x2 (Typ A)	4-adrige geschirmte, Cat5e, TP Installationsleitung zum Anschluss an IE FC Outlet RJ45/ IE FC RJ45 Plug; PROFINET-konform; mit UL-Zulassung; Vorzugslänge 1000 m	6XV1 840-2AU10	13.11.2009
00244	Siemens	IE FC TP Marine Cable 2x2 (Typ B)	4-adrige geschirmte, Cat5e, TP Installationsleitung zum Anschluss an IE FC RJ45 Plug; schiffbauzertifiziert; Meterware	6XV1 840-4AH10	13.11.2009
00245	Siemens	IE FC TP FRNC Cable GP 2x2 (Typ B)	4-adrige geschirmte, Cat5e, TP halogenfreie Installationsleitung zum Anschluss an IE FC RJ45 Plug; PROFINET-konform mit UL-Zulassung, Meterware	6XV1871-2F	13.11.2009
00246	Siemens	IE FC TP Festoon Cable GP 2x2 (Typ B)	4-adrige geschirmte, Cat5e, TP Girlandenleitung zum Anschluss an IE FC RJ45 Plug; PROFINET-konform mit UL-Zulassung, Meterware	6XV1 871-2S	13.11.2009
00247	Siemens	IE FC TP Flexible Cable GP 2x2 (Typ B)	4-adrige geschirmte, Cat5e, TP Installationsleitung zum Anschluss an IE FC RJ45 Plug für gelegentliche Bewegung; PROFINET-konform; mit UL-Zulassung; Meterware	6XV1 870-2B	13.11.2009

00248	Siemens	IE FC TP Trailing Cable GP 2x2 (Typ C)	4-adrige geschirmte Cat5e TP Installationsleitung zum Anschluss an IE FC RJ45 Plug für Schleppketteneinsatz; PROFINET-konform; mit UL-Zulassung; Meterware	6XV1 870-2D	13.11.2009
00249	Siemens	IE FC TP Trailing Cable 2x2 (Typ C)	4-adrige geschirmte Cat5e, TP Installationsleitung zum Anschluss an IE FC RJ45 Plug 180/90 für Schleppketteneinsatz; PROFINET-konform; Meterware	6XV1 840-3AH10	13.11.2009
00250	Siemens	IE TP Torsion Cable 2x2 (Typ C)	4-adrige geschirmte, Cat5e, TP Installationsleitung zum Anschluss an IE FC RJ45 Plug für Robotereinsatz, torsionsfest; PROFINET-konform; Meterware	6XV1 870-2F	13.11.2009
00251	Siemens	IE FC TP Food Cable 2x2 (Typ C)	4-adrige geschirmte, Cat5e, TP Installationsleitung für Nahrungs- und Genußmittelindustrie zum Anschluss an IE FC RJ45 Plug; Meterware	6XV1 871-2L	13.11.2009
00252	Siemens	FO Standard Cable GP (50/125)	SIMATIC NET FO STANDARD CABLE GP (PROFINET Typ C) (50/125), STANDARDLEITUNG AUFTEILBAR, UL-ZULASSUNG, METERWARE	6XV1 873-2A	13.11.2009
00253	Siemens	FO Trailing Cable (50/125)	SIMATIC NET FO TRAILING CABLE (PROFINET Type C) (50/125), SCHLEPPLEITUNG, AUFTEILBAR, METERWARE	6XV1 873-2C	13.11.2009
00254	Siemens	FO Trailing Cable GP (50/125)	SIMATIC NET FO TRAILING CABLE GP (PROFINET Type C) (50/125), UL-ZULASSUNG, SCHLEPPLEITUNG, AUFTEILBAR, METERWARE	6XV1 873-2D	13.11.2009
00255	Siemens	FO Ground Cable (50/125)	SIMATIC NET FO GROUND CABLE (PROFINET Type C) (50/125), AUSSENLEITUNG MIT NAGETIERSCHUTZ, AUFTEILBAR, METERWARE	6XV1 873-2G	13.11.2009
00256	Siemens	FO FRNC Cable GP (50/125)	SIMATIC NET FO FRNC CABLE GP (PROFINET Type B) (50/125), HALOGENFREIE LEITUNG, AUFTEILBAR, ZUR FESTEN VERLEGUNG, METERWARE	6XV1 873-2B	13.11.2009
00257	Siemens	POF Standard Cable GP 980/1000	SIMATIC NET, POF STANDARD CABLE GP (PROFINET Type B) 980/1000, PROFINET, STANDARDLEITUNG, UL-Zulassung, METERWARE	6XV1 874-2A	13.11.2009
00258	Siemens	POF Trailing Cable 980/1000	SIMATIC NET, POF TRAILING CABLE (PROFINET Type B) 980/1000, PROFINET, SCHLEPPLEITUNG, METERWARE	6XV1 874-2B	13.11.2009
00259	Siemens	PCF Standard Cable GP 200/230	SIMATIC NET PCF STANDARD CABLE GP (PROFINET Type B) (200/230), STANDARDLEITUNG AUFTEILBAR, UL-ZULASSUNG, METERWARE	6XV1 861-2A	13.11.2009
00260	Siemens	PCF Trailing Cable 200/230	SIMATIC NET PCF TRAILING CABLE (PROFINET Type B) (200/230), SCHLEPPLEITUNG, AUFTEILBAR, METERWARE	6XV1 861-2C	13.11.2009
00261	Siemens	PCF Trailing Cable GP 200/230	SIMATIC NET PCF TRAILING CABLE, GP (PROFINET Type B) (200/230), UL-ZULASSUNG, SCHLEPPLEITUNG, AUFTEILBAR, METERWARE	6XV1 861-2D	13.11.2009
00262	Siemens	IE Connecting Cable M12-180/M12-180	vorkonfektioniertes IE FC TP Trailing Cable GP 2x2 (PROFINET Typ C) mit zwei 4-poligen M12-Steckern (4-polig, D-kodiert). Schutzart IP 65/67, 0,3 m	6XV1 870-8AE30	13.11.2009
00263	Siemens	IE Connecting Cable M12-180/M12-180	vorkonfektioniertes IE FC TP Trailing Cable GP 2x2 (PROFINET Typ C) mit zwei 4-poligen M12-Steckern (4-polig, D-kodiert). Schutzart IP 65/67, 0,5 m	6XV1 870-8AE50	13.11.2009
00264	Siemens	IE Connecting Cable M12-180/M12-180	vorkonfektioniertes IE FC TP Trailing Cable GP 2x2 (PROFINET Typ C) mit zwei 4-poligen M12-Steckern (4-polig, D-kodiert). Schutzart IP 65/67, 1m	6XV1 870-8AH10	13.11.2009
00265	Siemens	IE Connecting Cable M12-180/M12-180	vorkonfektioniertes IE FC TP Trailing Cable GP 2x2 (PROFINET Typ C) mit zwei 4-poligen M12-Steckern (4-polig, D-kodiert). Schutzart IP 65/67, 1,5 m	6XV1 870-8AH15	13.11.2009
00266	Siemens	IE Connecting Cable M12-180/M12-180	vorkonfektioniertes IE FC TP Trailing Cable GP 2x2 (PROFINET Typ C) mit zwei 4-poligen M12-Steckern (4-polig, D-kodiert). Schutzart IP 65/67, 2,0 m	6XV1 870-8AH20	13.11.2009
00267	Siemens	IE Connecting Cable M12-180/M12-180	vorkonfektioniertes IE FC TP Trailing Cable GP 2x2 (PROFINET Typ C) mit zwei 4-poligen M12-Steckern (4-polig, D-kodiert). Schutzart IP 65/67, 3,0 m	6XV1 870-8AH30	13.11.2009
00268	Siemens	IE Connecting Cable M12-180/M12-180	vorkonfektioniertes IE FC TP Trailing Cable GP 2x2 (PROFINET Typ C) mit zwei 4-poligen M12-Steckern (4-polig, D-kodiert). Schutzart IP 65/67, 5,0 m	6XV1 870-8AH50	13.11.2009
00269	Siemens	IE Connecting Cable M12-180/M12-180	vorkonfektioniertes IE FC TP Trailing Cable GP 2x2 (PROFINET Typ C) mit zwei 4-poligen M12-Steckern (4-polig, D-kodiert). Schutzart IP 65/67, 10 m	6XV1 870-8AN10	13.11.2009
00270	Siemens	IE Connecting Cable M12-180/M12-180	vorkonfektioniertes IE FC TP Trailing Cable GP 2x2 (PROFINET Typ C) mit zwei 4-poligen M12-Steckern (4-polig, D-kodiert). Schutzart IP 65/67, 15 m	6XV1 870-8AN15	13.11.2009